

Systems - DROP COUNT RACK LOCATION			SYSTEMS - DROP COUNT SUMMARY			
Rack ID#	Room Name	Room Number	Rack ID#	UTP Count	Fiber Count	Coax Count
RCK 1-1	TEL / DATA	107	RCK 1-1	164	0	2
RCK 1-2	TEL / DATA	107	RCK 1-2	0	0	0
NOTES						
A. CABLING COUNTS ARE FOR INFORMATION ONLY. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY QUANTITIES INDICATED ON PLAN FOR FINAL CABLE COUNTS, LOCATIONS, ETC.						

SYSTEMS - VIDEO SURVEILLANCE SCHEDULE						
Camera: ID#	ROOM NAME	ROOM #	Camera: Type	Mounting Height	Capture Intent	Notes
GROUND FLOOR						
CAM 1-1	CORRIDOR-1	103-1	F1	SEE RCP	SECURITY DESK	
CAM 1-2	CORRIDOR-1	103-1	F1	SEE RCP	WAITING LOBBY	
CAM 1-3	SALLY PORT	117	F1	SEE RCP	SALLY PORT	
CAM 1-4	SALLY PORT	146	F1	SEE RCP	SALLY PORT	
CAM 1-5	NURSE STATION-1	122-1-1	F1	SEE RCP	NURSE STATION	
CAM 1-6	NURSE STATION-1	122-1-1	F1	SEE RCP	NURSE STATION	
CAM 1-7	CORRIDOR	143	F1	SEE RCP	MEDS	
CAM 1-8	CORRIDOR	143	F1	SEE RCP	DINING	
CAM 1-9	CORRIDOR	143	F1	SEE RCP	DAY ROOM	
CAM 1-10	CORRIDOR-1	118-1	F1	SEE RCP	DINING	
CAM 1-11	CORRIDOR-1	118-1	F1	SEE RCP	DAY ROOM	
CAM 1-12	TEL / DATA	107	F1	WALL 9'-0" AFF	TEL/DATA ROOM	
CAM 1-13	GROUP THERAPY	142	F1	SEE RCP	GROUP THERAPY	TAMPERPROOF CORNER MOUNTED HOUSING, SEE DETAILS AND SPECS FOR MORE INFORMATION
CAM 1-14	SECLUSION	120-3	F1	SEE RCP	MEDS	TAMPERPROOF CORNER MOUNTED HOUSING, SEE DETAILS AND SPECS FOR MORE INFORMATION
CAM 1-15	RESTRAINT ROOM	120-4	F1	SEE RCP	MEDS	TAMPERPROOF CORNER MOUNTED HOUSING, SEE DETAILS AND SPECS FOR MORE INFORMATION
CAM 1-16	INTAKE	116	F1	SEE RCP	NURSE WORK	
CAM 1-17	CORRIDOR	101	F1	SEE RCP	WAITING LOBBY	
CAM E1			F2	WALL 9'-0" AFF	STAFF ENTRY	WEATHER RESISTAANT WITH HEATER/BLOWER; DAY/NIGHT; MEGAPIXEL, VANDAL RESISTANT
CAM E2			F2	WALL 9'-0" AFF	RECEIVING AREA/ENTRY	WEATHER RESISTAANT WITH HEATER/BLOWER; DAY/NIGHT; MEGAPIXEL, VANDAL RESISTANT
CAM E2			F2	WALL 9'-0" AFF	RECEIVING AREA/ENTRY	WEATHER RESISTAANT WITH HEATER/BLOWER; DAY/NIGHT; MEGAPIXEL, VANDAL RESISTANT
CAM E3			F2	WALL 9'-0" AFF	YARD ENTRANCE	WEATHER RESISTAANT WITH HEATER/BLOWER; DAY/NIGHT; MEGAPIXEL, VANDAL RESISTANT
CAM E4			F2	WALL 9'-0" AFF	YARD	WEATHER RESISTAANT WITH HEATER/BLOWER; DAY/NIGHT; MEGAPIXEL, VANDAL RESISTANT

GENERAL NOTES	
A. DIV. 28 CONTRACTOR SHALL CONFIRM AND/OR COORDINATE MOUNTING CONFIGURATION OF ALL SURVEILLANCE CAMERAS PRIOR TO ORDERING OF EQUIPMENT.	
B. CONTRACTOR SHALL COORDINATE FINAL MOUNTING LOCATION AND LENS CONFIGURATION OF CAMERA FOR PROPER VIEWING ANGLES OF AREA BEING MONITORED, REFER TO CAMERA SCHEDULE CAPTURE INTENT.	
B. CONTRACTOR SHALL COORDINATE FINAL MOUNTING LOCATION AND LENS CONFIGURATION OF CAMERA FOR PROPER VIEWING ANGLES OF AREA BEING MONITORED, REFER TO CAMERA SCHEDULE CAPTURE INTENT.	
C. TYPICAL ALL EXTERIOR CAMERAS, CONTRACTOR SHALL PROVIDE 120/24VAC STEP DOWN TRANSFORMER, SIZE TO ACCOMMODATE CAMERA, HEATER/BLOWER, AND MEDIA CONVERTER POWER. INSTALL IN WP ENCLOUSRE.	
D. EXTERIOR CAMERA ID#S START WITH 'E' AND WILL HAVE A BLANK ROOM NAME AND ROOM #.	

